

The Veedol logo is a red rectangular box containing the word "Veedol" in a bold, white, sans-serif font. A small "TM" symbol is located at the top right corner of the box.

SYNTRON V 0W/30

TECHNICAL DATA SHEET

Product Description

VEEDOL SYNTRON V 0W/30 is the very latest generation fully synthetic low viscosity engine oil. VEEDOL SYNTRON V 0W/30 offers excellent fuel efficiency and engine protection whilst meeting the requirements of soot control for those vehicles with engine exhaust after treatment devices fitted.

Performance Specifications

VEEDOL SYNTRON V 0W/30 fluid meets the following performance requirements:

- ACEA: C3
- BMW: LL-04
- MB: 229.51
- Porsche: C30
- VW: 504.00 & 507.00
- API: SN

Features / Benefits

- Low SAPS formulation
- Fully synthetic
- Excellent fuel efficiency
- Superior heat management

Veedol UK Ltd

Unit 29 Goldthorpe Industrial Estate, Goldthorpe, Rotherham S63 9BL

Tel: +44 (0)1709 890099 Fax: +44 (0)1709 891121 Email: enquiries@veedol.co.uk

The logo consists of a red speech bubble containing a white gear icon, followed by the text "THE PROFESSIONAL'S CHOICE" in a bold, red, sans-serif font.

VEEDOL**SYNTRON V 0W/30**

TECHNICAL DATA SHEET

Typical Properties

State: Liquid**Colour:** Brown**Odour:** Characteristic

Test	Method	Unit	Min.	Max.	Typical
Kinematic Viscosity at 100°C	ASTM D445	mm ² /s	9.3	<12.5	11.3
Cold Cranking Viscosity	ASTM D4684	mPa.s		6200	
Total Base Number	ASTM D2896	mg KOH/g	6		8.21
Pour Point	ASTM D97	°c		-42	
HTHS Viscosity	ASTM D4683	mPa.s	3.5		
NOACK Volatility	ASTM D5800	%		10	
Kinematic Viscosity at 40°C	ASTM D445	mm ² /s			59.17
Density	ASTM D792	@ 15°C			0.841

Properties mentioned above are typical only and minor variations, which do not affect the product performances, are to be expected in normal manufacturing.

Health and Safety

This product has no classification under CLP. This product has no label elements. This product is not identified as a PBT/vPvB substance. Storage conditions: Store in a cool, dry condition. Keep container tightly closed. Must only be kept in original packaging. Exposure controls: Ensure there is sufficient ventilation of the area. Respiratory protection: Respiratory protection not required. Hand protection: Protective gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Protective clothing.